

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	130	(Kenichi near3 Fujii).in.	US-PGPUB; USPAT	OR	ON	2008/12/11 09:49
L3	1	L2 and (((specif\$4 or defin\$4 or designat\$4) with (data near4 length)) and (transmit \$4 with data)).clm.	US-PGPUB; USPAT	OR	ON	2008/12/11 09:53
L5	51972	(Canon).as.	US-PGPUB; USPAT	OR	ON	2008/12/11 09:54
L6	3	L5 and (((specif\$4 or defin\$4 or designat\$4) with (data near4 length)) and (transmit \$4 with data)).clm.	US-PGPUB; USPAT	OR	ON	2008/12/11 09:54
L7	2	"5014221".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 09:57
L8	5975	(printer with ((memory or storage) near4 (capacity or size or amount)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 09:59
L9	4636	L8 and (@rld < "20030415" or @ad < "20030415")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 09:59
L10	1286	L9 and (network with communicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 09:59
L11	99	L10 and (determin\$6 with ((storage or memory) near4 (capacity or amount or size)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 09:59
L13	2	L11 and (@pd > "20071022")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 10:00

S1	1	10/822022	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:09
S2	2536	(710/74,33; 709/207). ocls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:43
S3	171	S2 and (digital near2 camera)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 11:01
S4	554	S2 and printer	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 11:01
S5	83	S3 and S4	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 11:01
S6	12	S5 and bluetooth	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:44
S7	5	S6 and (@riad < "20030415" or @ad < "20030415")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 07:14
S8	1555	(transmi\$6 near4 data) and (data near4 length) and (bluetooth)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 12:21
S9	6	S2 and S8	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 11:14
S10	78	S8 and (zero near4 (data near4 length))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 12:22

S11	3	S10 and (@rlad < "20030415" or @ad < "20030415")	US_PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 15:03
S12	93	S8 and (interrupt\$4 near4 (data near4 transmi\$6))	US_PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 12:46
S13	20	S12 and (@rlad < "20030415" or @ad < "20030415")	US_PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 15:02
S14	55	S2 and (detect\$4 same (transmi\$6 near4 error))	US_PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 06:50
S15	44	S14 and (@rlad < "20030415" or @ad < "20030415")	US_PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 15:04
S16	2	"5146598".pn.	US_PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 07:40
S17	54	(printer near4 controller) and (print near4 queue) and (request near4 (transmi\$6 near4 data))	US_PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:12
S18	39	S17 and (@rlad < "20030415" or @ad < "20030415")	US_PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 08:42
S19	7	S18 and bluetooth	US_PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 07:43
S20	699	(printer same (jam\$4 near4 error))	US_PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:42

S21	521	S20 and (@rlad < "20030415" or @ad < "20030415")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:43
S22	24	S21 and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:44
S23	296	(communicat\$4 near4 apparatus) and (detect \$4 near4 error) and ((halt or stop or terminat\$4 or end) near4 instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:15
S24	194	S23 and (@rlad < "20030415" or @ad < "20030415")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:16
S25	54	S24 and printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 06:35
S26	296	(communicat\$4 near4 apparatus) and (detect \$4 near4 error) and ((halt or stop or terminat\$4 or end) near4 instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 07:12
S27	194	S26 and (@rlad < "20030415" or @ad < "20030415")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 06:36
S28	54	S27 and printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 06:36
S29	2	S28 and (error near4 recover\$4) and retransmi\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 07:01

S30	14	S27 and (error near4 recover\$4) and retransmi\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 06:38
S31	2553	(710/74,33; 709/207). ocls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 06:51
S32	56	S31 and (detect\$4 same (transmi\$6 near4 error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 06:51
S33	9	S32 and (retransmi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 07:00
S34	10	S28 and retransmi\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 07:01
S35	12	(communicat\$4 near4 apparatus) and (detect \$4 near4 error) and ((remove or fix or repair) near4 error) and retransmi\$6 and printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 07:25
S36	11	S35 and (@riad < "20030415" or @ad < "20030415")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 07:25
S37	411	(communicat\$4 near4 apparatus) and (detect \$4 near4 error) and retransmi\$6 and printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 07:25
S38	345	S37 and (@riad < "20030415" or @ad < "20030415")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 08:00

S39	25	S38 and (error with remov\$4)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 13:28
S40	2331	(358/1.16,1.17).ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 08:00
S41	73	S40 and (error near4 recover\$4)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 08:00
S42	60	S41 and (@rlad < "20030415" or @ad < "20030415")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 14:30
S43	4	S42 and retransmi\$6	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 08:01
S44	2	"20020155808"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 13:28
S45	1	S42 and ((retransmi\$6 same ((all or receiv\$4) near4 (data or buffers or packets)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 14:33
S46	2729	(710/74,33; 709/207).ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:15
S47	2033	S46 and (@rlad < "20030415" or @ad < "20030415")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:15
S48	513	(transmit\$4 near4 data) with (((designated or specified or defined) with (data near4 length))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:21

S49	430	S48 and (@rlad < "20030415" or @ad < "20030415")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:22
S50	103	S49 and (digital near4 camera)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:26
S51	5	S50 and printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:26
S52	7305	((printer or (storage near4 (device or peripheral or unit))) and (digital near4 camera) with communicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:44
S53	25	S52 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:47
S54	2	"5146598".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 16:26
S55	5628	(printer with ((memory or storage) near4 (capacity or size or amount)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 06:41
S56	4518	S55 and (@rlad < "20030415" or @ad < "20030415")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 06:42
S57	1187	S56 and (network with communicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 06:42
S58	99	S57 and (determin\$6 with ((storage or memory) near4 (capacity or amount or size)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 06:45

S60	0	S58 and ((zero or "0") with (data near4 length))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 06:47
S61	1281	(transmit\$4 with data) with ((designat\$4 or specif\$4 or defin\$4) with (data near4 length))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:53
S62	170	S61 and (detection with device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:54
S63	140	S62 and (data with error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:54
S64	122	S63 and (@rlad < "20030415" or @ad < "20030415")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:55
S65	8	S64 and ((stop or halt or suspend) with transmi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:56
S66	2	S64 and (zero with data with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 13:15
S67	82918	((stop or halt or suspend) with transmi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 13:20
S68	6331	(zero with data with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 13:20
S69	462	S67 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 13:20

S70	336	S69 and (data with error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 13:21
S71	185	S70 and (@rlad < "20030415" or @ad < "20030415")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 13:21
S72	68	S71 and ((free or buffer or memory) with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 13:22
S73	16	S71 and (No with (free or buffer or memory) with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 15:09

12/ 11/ 2008 10:02:05 AM

C:\Documents and Settings\Kbelani\My Documents\EAST\Workspaces\AP 10822022.wsp